

CERTIFICATE

Management system as per
ISO 9001 : 2015

In accordance with TÜV NORD CERT procedures, it is hereby certified that

AL ZAMIL الزامل
FOR INDUSTRY, TRADE & TRANSPORT للصناعة و التجارة و النقل

AL-ZAMIL COMPANY FOR WATER TANKS & MANHOLE COVERS
Muzamiyah - Riyadh, P.O. Box 451
11972 Riyadh
Kingdom of Saudi Arabia

applies a management system in line with the above standard for the following scope

Manufacture, supply & installation of Rotomolded Polyethylene Water Tanks and other special product tanks made from polyethylene material. Moreover, the company also manufactures and supply BMC (Bulk Molding Compound) Manhole Covers

Certificate Registration No. 04 100 000060
Audit Report No. 5700 1841

Valid from 2017-03-01
Valid until 2020-02-28
Initial certification 2000


Certification Body
at TÜV NORD CERT GmbH

Dammam, 2017-03-01

This certification was conducted in accordance with the TÜV NORD CERT auditing and certification procedures and is subject to regular surveillance audits.

TÜV NORD CERT GmbH

Langemarckstraße 20

45141 Essen

www.tuev-nord-cert.com





الهيئة السعودية للمواصفات والمقاييس والجودة
Saudi Standards, Metrology and Quality Org.

شهادة ترخيص باستعمال علامة الجودة

License For Use of The Quality Mark

License No: ١-٠٠٠٠٠٠١٠١٠١٤٦٥٧٧-١٤٣٥-٢/٢ رقم الترخيص:

SASO certifies that: تشهد الهيئة السعودية للمواصفات والمقاييس والجودة بأنها رخصت
شركة خزانات مياه الزامل لـ:

Address : العنوان:
المزاحمية طريق الملك عبدالعزيز

Grant the right to use SASO quality mark on a following product: باستعمال علامة الجودة على منتجاتها التالية:
خزانات من البولي إيثيلين المشككة بالدوران (الخزانات الأفقية).

السعة (لتر) الموديل	٤٠٠	٥٠٠	١٠٠٠	١٥٠٠	٢٠٠٠	٢٥٠٠	٣٠٠٠	٤٠٠٠	٤٥٠٠
	BH40	BH50	BH100	BH150	BH200	BH250	BH300	BH400	AH450
السعة (لتر) الموديل	٥٠٠٠	٦٠٠٠	٧٠٠٠	—	—	—	—	—	—
	CH500	AH600	BH700						

After fulfilling the required requirements according to the normative documents : بعد استيفائها للمتطلبات اللازمة وفق المراجع القياسية التالية:

SASO-GSO-1831/2007

Date of issue : ١٤٣٦/٠٩/٢٢ بداية تاريخ المنح:
Date of renewal : ١٤٣٧/١١/١٤ تاريخ التجديد:
Date of expiry : ١٤٤٠/١١/١٣ تاريخ الإنتهاء:

نائب المحافظ للمطابقة والجودة
Vice-Governor for Conformity & Quality



تم منح هذا الترخيص وفقاً لتنظيم الهيئة السعودية للمواصفات والمقاييس والجودة الصادر بقرار مجلس الوزراء رقم ٢١٦ وتاريخ ١٤٣١/٠٦/١٧

This license is granted according to the regulation of Saudi Standards, Metrology and Quality Organization that was issued based on the Council of Ministers' Resolution No. 216 dated 31-05-2010

تخضع هذه الشهادة خلال مدة سريانها للأظمة واللوائح ذات العلاقة في المملكة العربية السعودية وأي تعليمات أو تعديلات تصدرها الهيئة.

This certificate is subject to during the period of validity of the rules and regulations relevant in the Kingdom of Saudi Arabia and any instructions or amendments issued by the commission.
QMS-F-10-10
Issue#4 Date 06 / 02/1434 +٩٦٦ ١٤٥٢٠٠٨٦ : فاكس : +٩٦٦ ١٤٥٢٠٠٠٠ : هاتف : +٩٦٦ ١٤٥٢٠٠٠٠ : ص.ب ٢٤٢٧ الرياض ١١٤٧١ المملكة العربية السعودية
Rev#3 Date 09/ 08/1437 P.O.Box 3437 Riyadh 11471 KSA Tel : +966 14520000 Fax : +966 14520086

www.saso.gov.sa



الهيئة السعودية للمواصفات والمقاييس والجودة
Saudi Standards, Metrology and Quality Org.

شهادة ترخيص باستعمال علامة الجودة

License For Use of The Quality Mark

License No: ١٠٠٠٠٠١٠١٠١٤٦٥٧٧-١٤٣٥-١/٢ رقم الترخيص:

SASO certifies that: تشهد الهيئة السعودية للمواصفات والمقاييس والجودة بأنها رخصت
شركة خزانات مياه الزامل

Address : العنوان :
المزاحمية طريق الملك عبدالعزيز

Grant the right to use SASO quality mark on a following product: باستعمال علامة الجودة على منتجاتها التالية:
خزانات من البولي إيثيلين المشككة بالدوران (الخزانات الرأسية).

السعة (لتر) الموديل	٥٠٠	١٠٠٠	١٢٠٠	١٥٠٠	٢٠٠٠	٢٥٠٠	٣٠٠٠	٣٥٠٠	٤٠٠٠
	BV50	A/CV100	AV120	BV150	BV200	BV250	BV300	BV350	BV400
السعة (لتر) الموديل	٥٠٠٠	٦٠٠٠	٨٠٠٠	١٠٠٠٠	١٢٠٠٠	١٦٠٠٠	٢٠٠٠٠	٢٥٠٠٠	٣٢٠٠٠
	AV500	BV600	BV800	BV1000	AV1200	BV1600	BV2000	AV2500	AV3200

After fulfilling the required requirements
according to the normative documents:

بعد استيفائها للمتطلبات اللازمة وفق المراجع القياسية التالية:

SASO-GSO-1831/2007

Date of issue : ١٤٣٦/٠٩/٢٢

Date of renewal : ١٤٣٧/١١/١٤

Date of expiry : ١٤٤٠/١١/١٣

بداية تاريخ المنح:

تاريخ التجديد:

تاريخ الإنتهاء:

نائب المحافظ للمطابقة والجودة
Vice-Governor for Conformity & Quality



تم منح هذا الترخيص وفقاً لتنظيم الهيئة السعودية للمواصفات والمقاييس والجودة
الصادر بقرار مجلس الوزراء رقم ٢١٦ وتاريخ ١٤٣٦/٠٦/١٧ هـ

This license is granted according to the regulation of Saudi Standards,
Metrology and Quality Organization that was issued based on
the Council of Ministers' Resolution No. 216 dated 31-05-2010

تخضع هذه الشهادة خلال مدة سريانها للأنظمة واللوائح ذات العلاقة في المملكة العربية السعودية وأي تعديلات تصدرها الهيئة.

This certificate is subject to during the period of validity of the rules and regulations relevant in the Kingdom of Saudi Arabia and any instructions or amendments issued by the commission

QMS-F-10-10

Issue#4 Date 06 / 02/1434 +٩٦٦ ١٤٥٢٠٠٨٦ : فاكس : +٩٦٦ ١٤٥٢٠٠٠ : هاتف :
Rev#3 Date 09 / 08/1437 P.O.Box 3437 Riyadh 11471 KSA Tel : +966 14520000 Fax : +966 14520086

www.saso.gov.sa



Approval Number: 1509521
Test Report: MA5295/S

2nd October 2015

Al Zamil for industry, trade & transport
PO Box 41397,
Riyadh 11521,
Saudi Arabia

Water Regulations Advisory Scheme Ltd.
Unit 13,
Willow Road,
Pen y Fan Industrial Estate,
Crumlin,
Gwent,
NP11 4EG

WATER REGULATIONS ADVISORY SCHEME LTD. (WRAS)
MATERIAL APPROVAL

The material referred to in this letter is suitable for contact with wholesome water for domestic purposes having met the requirements of BS6920-1:2000 and/or 2014 'Suitability of non-metallic products for use in contact with water intended for human consumption with regard to their effect on the quality of the water'.

The reference relates solely to its effect on the quality of the water with which it may come into contact and does not signify the approval of its mechanical or physical properties for any use.

POLYETHYLENE - COMPONENTS.

5240

'Al Zamil HDPE Water Tank' panels. White coloured, multi-layered HDPE tank panels, manufactured by rotational moulding. For use with water up to 80°C.

APPROVAL NUMBER: 1509521
APPROVAL HOLDER: AL ZAMIL FOR INDUSTRY, TRADE & TRANSPORT

The Scheme reserves the right to review approval.
Approval 1509521 is valid between September 2015 and September 2020

An entry, as above, will accordingly be included in the Water Fittings Directory on-line under the section headed, "Materials which have passed full tests of effect on water quality".

The Directory may be found at: www.wras.co.uk/directory

Yours faithfully

Jason Furnival
Approvals & Enquiries Manager
Water Regulations Advisory Scheme

WRAS MATERIAL APPROVAL - MATERIALS WHICH HAVE PASSED FULL TESTS OF EFFECT ON WATER QUALITY

The material referred to in this letter is suitable for contact with water for domestic purposes. **Approval of this material does not signify the approval of its mechanical or physical properties for any use.**

Manufacturers or applicants may only quote in their sales literature terms which are used in this letter, namely that; 'the material as listed, having passed the tests of effect on water quality, is suitable for use in contact with wholesome water'

This may be abbreviated to 'Water Regulations Advisory Scheme - Approved Material' or 'WRAS Approved Material'.

The scope of an Approval does not extend to rebranded materials unless otherwise agreed by the Scheme.

Use of the WRAS Approved Material Logo

Approval holders may use the WRAS Approved Material logo and make reference to any approval issued by WRAS Ltd. in respect of a particular material or range of materials provided the approval is, and remains valid.

Approval holders are entitled to use the logo on the packing, promotional literature and point of sale advertising Approved Materials.

Modifications to existing Approvals

It is a condition of WRAS Material Approval that NO changes or modifications to the Approved Material, be made without the Approval Holder first notifying WRAS Ltd. Full details of the proposed changes must be provided to the Scheme. Failure to comply with this condition will immediately invalidate a previously granted Approval.

Re-Approval

WRAS will write to you 1 year before the approval expires asking whether you would like to renew it. Please complete the relevant section of the MA3 application form which will be included with the letter and return to WRAS (via e-mail or post).

Please note it is the responsibility of the Approval Holder to ensure the Approval remains valid. WRAS Ltd. accepts no liability for the delay in granting approval where this is caused by circumstances outside of the Scheme's control.

الهيئة العامة للغذاء والدواء
Saudi Food & Drug Authority

رقم المصدر : 8336/ع

تاريخ الصادر : 08 / 03 / 1436 هـ

نوع المرفق : لا يوجد

الإحالة : شركة الزامل للصناعة والتجارة و



ay



المملكة العربية السعودية
الهيئة العامة للغذاء والدواء

(٢٥٥)

قطاع الغذاء

سلمه الله

سعادة مدير المبيعات التجارية بشركة الزامل للخرانات

السلام عليكم ورحمة الله وبركاته ، وبعد :

إشارة إلى طلبكم لشهادة من الهيئة العامة للغذاء والدواء تفيد بأن خزانات الزامل والمصنعة من مادة البولي اثلين آمنة لتخزين المياه المعدة للاستخدام البشري .

نفيد سعادتكم أن الهيئة العامة للغذاء والدواء لا تمنح شهادات للمنتجات، الجدير بالذكر أن المواصفة الخليجية رقم ٢٠٠٧/١٨٣١ تسمح باستخدام مادة البولي اثلين في صناعة خزانات المياه، وعلى الشركة الالتزام بتطبيق متطلبات المواصفة الخليجية المشار لها أعلاه لضمان سلامة وصحة المستهلكين.

وتفضلوا بقبول وافر التحية والتقدير ،،،

المدير التنفيذي

لمراكز الرصد وإدارة الأزمات

٥٢٧٢٧٦

د. حمد بن عبد الرحمن الكنهل



AL - ZAMIL COMPANY FOR WATER TANKS AND MANHOLE COVERS
TEST CERTIFICATE LOG

PR-FM-11, 17-11-16

Test Month	Product Tested	CONDUCTED BY	SAMPLE		TYPE OF TEST	Value (kg/cm ²)	Remarks
			SI. No.	Thickness (mm)			
28-Jul-17	BH250/2500L	QC	3 Samples	8.86	Tensile	141.77	120 kg/cm ² (Standard)
			3 Samples	9.95	Flexural Strength	167.03	PASSED
					Flexural Modulus	6896.39	3000 kg/cm ² Standard
			10 Samples	9.14	Dart Impact Test	170.99	PASSED
			Original Circumferential Measurement	After 3 days Circumferential Measurement	Resistance To Deformation Test	0.16%	Not be Greater than 2.0% of the original Measurement
			BH250-626	BH250-627			
			na	na		The tank not Crack at the observed Deflection.	na
			na	na	Top Load Resistance Test	No Deformation or Crack on the surface. The Flat surface shall return to normal position.	na
			Tank Dimension (cm)	Tank Weight (kgs)	Tank Capacity (cu ³)	Manhole Diameter (mm)	Black Carbon Testing
			H- 136	93.00	2.49	52.00	1.36%
			L- 225				
			W- 128				

Prepared by: QC Finger



المكتب الرئيسي : الرياض ، حي النعناع ، مخرج 9 ، ص.ب 41397 ، الرياض 11521 ، هاتف : 01 - 4549916 ، فاكس : 01 - 4569089

الرياض :
شمال الرياض : 01-4893261 : الروابي : 01-4966101
جنوب الرياض : 01-4332604 : البرموك : 01-2401065
الخرج : 01-5501230
جدة :
السلامية : 02-6199111 : الخالدية : 02-5402888
التحلية : 02-6742879 : الشرايع : 02-5731333
جنوب جدة : 02-6211384 : الطائف : 02-7440186
المدينة : 04-8649500 : تبوك : 04-4293666
الدمام :
الخزيرة : 03-8392887 : الفيصلية : 03-8467642
المزارع : 03-8467588 : الخير : 03-8949360
محاسن : 03-5925079 : العقوف : 03-5884939
الخفجي : 03-7672320
القصيم :
فرع بريدة : 06-3834653
فرع عنيزة : 06-3634800
فرع حائل : 06-5347211
خميس مشيط :
جيزان : 07-3223228
أبها : 07-2278146
المدينة العسكرية : 07-2571217
نجران : 07-5292343

info@alzamilco.com

Toll Free 800 122 2212 الرقم المجاني

www.zamilco.com



AL - ZAMIL COMPANY FOR WATER TANKS AND MANHOLE COVERS
TEST CERTIFICATE LOG

PR-FM-11, 17-11-16

Test Month	Product Tested	CONDUCTED BY	SAMPLE		TYPE OF TEST	Value (kg/cm ²)	Remarks
			Sl. No.	Thickness (mm)			
28-Jul-17	BH150/1500L	QC	3 Samples	5.97	Tensile	144.16	120 kg/cm ² (Standard)
			3 Samples	8.01	Flexural Strength	151.80	PASSED
					Flexural Modulus	5545.56	3000 kg/cm ² Standard
			10 Samples	7.68	Dart Impact Test	133.24	PASSED
			Original Circumferential Measurement	After 3 days Circumferential Measurement	Resistance To Deformation Test	0.38%	Not be Greater than 2.0% of the original Measurement
			BH150-525	BH150-527			
			na	na		The tank not Crack at the observed Deflection.	na
			na	na	Top Load Resistance Test	No Deformation or Crack on the surface. The Flat surface shall return to normal position.	na
			Tank Dimension (cm)	Tank Weight (kgs)	Tank Capacity (cu ³)	Manhole Diameter (mm)	Black Carbon Testing
			H- 127	64.00	1.44	52.00	1.54%
			L- 182				
			W- 119				

Prepared by: QC Engr.



المكتب الرئيسي : الرياض - حي التعاون - مخرج 9 ص.ب. 41397 ، الرياض 11521 . هاتف : 01 - 4549916 - فاكس : 01 - 4569089

الرياض :	جدة :	مكة المكرمة :	الدمام :	القصيم :	خميس مشيط :
شمال الرياض : 01-4893261	السالمية : 02-6199111	الخالدية : 02-5402888	الخضيرة : 03-8392887	فرغ بريدة : 06-3834653	جيزان : 07-3223228
جنوب الرياض : 01-4332604	التحلية : 02-6742879	الشرابيح : 02-5731333	المزارع : 03-8467588	فرغ عنيزة : 06-3634800	ابها : 07-2278146
الخرج : 01-5501230	جنوب جدة : 02-6211384	الطائف : 02-7440186	محاسن : 03-5925079	فرغ حائل : 06-5347211	المدينة العسكرية : 07-2571217
	المدينة : 04-8649500	تبوك : 04-4293666	الخفجي : 03-7672320		بجدة : 07-5292343

info@alzamilco.com

Toll Free 800 122 2212 المجاني

www.zamilco.com



AL - ZAMIL COMPANY FOR WATER TANKS AND MANHOLE COVERS
TEST CERTIFICATE LOG

PR-EM-11, 17-11-16

Test Month	Product Tested	CONDUCTED BY	SAMPLE		TYPE OF TEST	Value (kg/cm ²)	Remarks	
			Sl. No.	Thickness (mm)				
28-Jul-17	BH200/2000L	QC	3 Samples	9.23	Tensile	129.81	120 kg/cm ² (Standard)	
			3 Samples	9.95	Flexural Strength	143.80	PASSED	
					Flexural Modulus	5432.00	3000 kg/cm ² Standard	
			10 Samples	8.82	Dart Impact Test	139.9	PASSED	
			Original Circumferential Measurement	After 3 days Circumferential Measurement	Resistance To Deformation Test	0.36%	Not be Greater than 2.0% of the original Measurement	
			BH200-546	BH200-548				
			na	na		The tank not Crack at the observed Deflection.	na	
			na	na	Top Load Resistance Test	No Deformation or Crack on the surface. The Flat surface shall return to normal position.	na	
			Tank Dimension (cm)		Tank Weight (kgs)	Tank Capacity (cu ³)	Manhole Diameter (mm)	Black Carbon Testing
			H- 136					
L- 192								
W- 128								
			75.00	2.28	52.00	1.42%		

Prepared by: QC Engr.



المكتب الرئيسي : الرياض . حي النخيل . مخرج 9 . ص.ب 41397 . الرياض 11521 . هاتف : 4549916 - 01 . فاكس : 4569089 - 01

الرياض : شمال الرياض : 01-4893261 جنوب الرياض : 01-4332604 الخرج : 01-5501230	جدة : السالمية : 02-6199111 التحلية : 02-6742879 جنوب جدة : 02-6211384 المدينة : 04-8649500	مكة المكرمة : الخالدية : 02-5402888 الشرايع : 02-5731333 الطائف : 02-7440186 تبوك : 04-4293666	الدمام : الخضرية : 03-8392887 المزارع : 03-8467588 محاسن : 03-5925079 الخفجي : 03-7672320	القصيم : فرع بريدة : 06-3834653 فرع عنيزة : 06-3634800 فرع حائل : 06-5347211	خميس مشيط : جبران : 07-3223228 أبها : 07-2278146 المدينة العسكرية : 07-2571217 نجران : 07-5292343
--	---	--	---	---	---

info@alzamilco.com

Toll Free 800 122 2212 الرقم المجاني

www.zamilco.com